Janitorial

Formula



COMMERCIAL

isinfectant, Fungicide, Virucide\* Ready-to-Use • Kills Germs in 30 Seconds<sup>‡</sup>

Disinfects without Bleaching

Keep Out of Reach of Children
 See back panel for precautionary statements.

1 US Gallon (128 FL 0Z/3,78\_L)

Disinfectant

ditchens and restrooms. and barber shops, buses and other public transportation vehicles, locker rooms, estaurants, schools, day care facilities, offices, kennels, exercise facilities, beauty should be used on non-porous environmental hard surfaces in homes, hotels, ant and deodorizer. Proven to kill bacteria, fungus and viruses\*, Germ Control<sup>24</sup> Serm Control<sup>24</sup> is a colorless, odorless broad spectrum antimicrobial disinfec-

# DIRECTIONS FOR USE

n manner inconsistent with its labeling. t is a violation of federal law to use this product in

ind chairs. Use to disinfect the following hard, activity centers and tanning beds. counters, telephones, doorknobs, cribs, playpens, liaper changing tables, bathroom and/or kitchen ion-porous surfaces: children's toys, diaper pails, appliances, stove tops, waste containers, tables ets, cabinets, tubs, showers, door knobs, telephones, objects including walls, floors, counters, sinks, toiect hard, non-porous environmental surfaces and Jerm Control<sup>24</sup> has been formulated to disin-

The state of the second of the	
Organism	Kill Time
Pseudomonas aeruginosa 1	30 seconds
*Staphylococcus aureus *	30 seconds
<sup>k</sup> Salmanella choleraesuis <sup>†</sup>	30 seconds
Listeria manocytogenes <sup>1</sup>	30 seconds
Vancomycin resistant Enterococcus faecium <sup>1</sup>	2 minutes
Methicillin resistant Stophylococcus aureus 1	2 minutes
Escherichia coli 0157:H7	2 minutes
Trichophyton mentagrophytes Athlete's Foot Fungus)	10 minutes
™HIV type 1- Strain HTLV IIIB¹	30 seconds
Herpes Simplex Type 1 VR-733 F(1) Strain <sup>2</sup>	1 minute
Influenza A VR-544, Hong Kong strain <sup>2</sup>	10 minutes
Rhinovirus R37 VR-1147, Strain 151-12	10 minutes
Polio Type 2, VR-1002, Lansing Strain <sup>2</sup>	10 minutes

# **APPLICATION INSTRUCTIONS**

Pre-clean surfaces prior to using this product.

### GENERAL DISINFECTION

vides protection from Pseudomonas aeruginosa, completely wet with Germ Control<sup>24</sup> for 2 minutes. and Escherichia Coli 0157:H7 the surface must be Methicillin Resistant Staphylococcus aureus (MRSA) us, Salmonella choleraesuis, Listeria monocytogenes, up to 24 hours after initial application. Staphylococcus aureus and Salmonella choleraesuis towel. When used as directed, Germ Control<sup>24</sup> pro-For general disinfection and control of the bacte-The surface may then be wiped dry with a clean Vancomycin Resistant Enterococcus faecium (VRE) ria Pseudomonas aeruginosa, Staphylococcus aure-

### **FUNGUS CONTROL**

wet with Germ Control<sup>24</sup> for 10 minutes. The surface may then be wiped dry with a clean towel mentagrophytes, the surface must be completely Re-apply when cleaning or when new growth For effective control of the fungus Trichophyton

#### **\*VIRAL CONTROL**

A Virus, Hong Kong Strain, Rhinovirus R37 Strain with a clean towel. 10 minutes. The surface may then be wiped dry must be completely wet with Germ Control24 for 151-1, Polio Virus Type 2 Lansing Strain the surface To kill Herpes Simplex Type 1 F(1) Strain Influenza

environmental surfaces/objects previously soiled Cleaning Procedure: Blood and other body as latex gloves, gowns, masks or eye coverings. fluids, use appropriate barrier protection such When handling items soiled with blood or body with blood/body fluids: Personal Protection: **Decontamination Against HIV** on pre-cleaned mission of HIV): Instructions for Cleaning and can be associated with the potential for transor body fluids, and in which the surfaces/objects soiling of inanimate surfaces/objects with blood tings in which there is an expected likelihood of faces/objects previously soiled with blood/ body fluids in health care settings (or other setlikely to be soiled with blood or body fluids Kills HIV-1 on pre-cleaned environmental sur-

EPA Reg. No. 72977-3-66243 EPA Est. No. 66243-GA-01 EPA \$L 122904

and disposed of according to federal, state and and other body fluids should be autoclaved will not control all organisms listed on this label. wiped dry with a clean towel. This contact time tant. Contact Time: Apply to area to be treated and objects before application of this disinfeclocal regulations for infectious waste disposal. isms. Disposal of Infectious Materials: Blood Control<sup>24</sup> for 30 seconds. The surface may then be Refer to application instructions for other organ-The surface must be completely wet with *Germ* fluids must be thoroughly cleaned from surfaces

## STORAGE AND DISPOSAL

trash or recycling. container. Rinse thoroughly before discarding in by storage or disposal. Disposal: Do not reuse Storage: Do not contaminate water, food or feed

center or doctor for treatment advice. Have the for treatment. IN CASE OF EMERGENCY: Call a poison control ing a poison control center or doctor, or going product container or label with you when call-



PO Box 7444 • Warner Robins GA 31095
Quality Assurance Hotline 800.841.3904 Clean Control Corporation Made in the USA 9:00am-4:00pm Mon.-Fri.(EST)



15002-G

300080

060302