# **Bayer Environmental Science**



MSDS Number: 00000000052

MSDS Version 2.4

#### SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product NameDELTADUST InsecticideChemical NameDELTADUST InsecticideSynonym52MSDS Number52Chemical FamilyMixtureChemical FormulationMixtureEPA Registration No.432-772Canadian Registrat. No.Canadian Registrat.

Bayer Environmental Science 95 Chestnut Ridge Road Montvale, NJ 07645 USA

For Product Use Information: (800)331-2867 Monday through Friday(CRLF) 8:00AM-4:30PM(CRLF) For Medical Emergency contact DART: (800) 334-7577 24 Hours/Day(CRLF) For Transportation Emergency CHEMTREC: (800) 424-9300 24 Hours/Day

#### SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

Component Name	CAS No.	Concentration % by Weight	
		Minimum	Maximum
Deltamethrin	52918-63-5	0.0500	
Crystalline Silica (Quartz)	14808-60-7	3.0000	

#### **SECTION 3. HAZARDS IDENTIFICATION**

NOTE: Please refer to Section 11 for detailed toxicological information.

**Emergency Overview** Caution! Keep out of the reach of children. Hazards to humans and domestic animals. May be harmful if absorbed through skin. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling. This product is extremely toxic to fish and aquatic invertebrates.

Physical State Solid powder

Odor Very faint indeterminate to chalk-like odor

White

Appearance

MSDS Number: 00000000052 MSDS Version 2.4

DELTADUST Insectici	de MSDS Version 2.4
Routes of Exposure	Skin contact.
Immediate Effects Eye	Non-irritating.
Skin	May be harmful if absorbed through skin. May cause a transient, localized parasthesia, characterized by tingling, burning or numbness sensation in some individuals.
Chronic or Delayed Long-Term	No known chronic effects.

#### **SECTION 4. FIRST AID MEASURES**

Skin Wash with plenty of soap and water. Get medical attention immediately if irritation persists. Cold cream or a moisturizing cream has been successful in diminishing the sensations associated with localized paresthesia.

#### **SECTION 5. FIRE FIGHTING MEASURES**

Flash Point	Not applicable
Suitable Extinguishing Media	Carbon dioxide (CO2), Dry chemical, Foam, Water
Fire Fighting Instructions	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH approved (or equivalent) and full protective gear.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

**General and Disposal** Sweep up or shovel into approved waste disposal container. Dispose of with chemical waste.

#### SECTION 7. HANDLING AND STORAGE

Handling Procedures	Avoid contact with skin, eyes and clothing.
Storing Procedures	Do not contaminate water, food, or feed by storage or disposal.
	Store in original container. Keep in a locked storage area. Keep in a dry, cool place. Keep out of the reach of children.
Work/Hygienic Procedures	Wash thoroughly with soap and water after handling.

#### MSDS Number: 00000000052 MSDS Version 2.4

### **DELTADUST** Insecticide

SECTION 8. EXPOSURE C	ONTROLS/PER	SONAL PRO	TECTION		
Eye/Face Protection	Safety glasse	Safety glasses or Goggles			
Body Protection	Chemical-res	Chemical-resistant gloves (Neoprene, Nitrile, PVC)			
Exposure Limits					
Crystalline Silica (Quartz)	14808-60-7	OSHA Z1A Form of US CA OEL Form of US CA OEL	REL Exposure TWA Exposure Exposure TWA PE Exposure TWA TWA	Respirable dust.	0.05 mg/m3 0.1 mg/m3 0.1 mg/m3 0.3 mg/m3 0.05 mg/m3

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES			
Appearance	White		
Physical State	Solid powder		
Odor	Very faint indeterminate to chalk-like odor		

#### Page 3 of 6

#### **DELTADUST** Insecticide

Density

55.5 lbs/ft3 (fluffed) 105.4 lbs/ft3 (compacted)

Stable

#### SECTION 10. STABILITY AND REACTIVITY

Chemical Stability

Hazardous	Will not occur
Polymerization	
(Conditions to avoid)	

#### SECTION 11. TOXICOLOGICAL INFORMATION

Acute Oral Toxicity	LD50: > 5,050 mg/kg		
Acute Dermal Toxicity	LD50: > 5,050 mg/kg		
Acute Inhalation Toxicity	LC50: > 26.1 mg/l 4 h		
	LC50: > 100 mg/l 1 h		
Skin Irritation	Slightly irritating		
Eye Irritation	Non-irritating.		
Sensitization	Negative		
Assessment Carcinogenicity ACGIH Crystalline Silica (Quartz) NTP		14808-60-7	Group A2
Crystalline Silica (Quartz)		14808-60-7	
IARC Deltamethrin OSHA None		52918-63-5	3

#### **SECTION 12. ECOLOGICAL INFORMATION**

Environmental This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Use with care when applying in areas adjacent to any body of water. Do not contaminate water when disposing of equipment washwaters.

MSDS Number: 00000000052 MSDS Version 2.4

# MSE

### **DELTADUST** Insecticide

MSDS Number: 00000000052 MSDS Version 2.4

SECTION 13. DISPOSAL	CONSIDERATIONS
General Disposal Guidance	Pesticide Disposal: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.
Container Disposal	Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.
	For Homeowners: Do not reuse empty container. Wrap container in several layers of newspaper and discard in trash.
RCRA Classification	Not Regulated under this Statute

#### **SECTION 14. TRANSPORT INFORMATION**

PROPER SHIPPING NAME: Not DOT Regulated

#### **SECTION 15. REGULATORY INFORMATION**

US Federal Regulations		
EPA Registration No.	432-772	
TSCA list		
Crystalline Silica (Quartz)	14808-60-7	
TSCA 12b export notification None		
SARA Title III - section 302 - notification and None	d information	
SARA Title III - section 313 - toxic chemical None	release reporting	
US States Regulatory Reporting		
CA Prop65		
This product contains a chemical known to the state of California to cause cancer.	Crystalline Silica (Quartz)	14808-60-7
US State right-to-know ingredients		
Crystalline Silica (Quartz)	14808-60-7	IL, MA, MN, PA
Canadian Regulations Canadian Registrat. No. Canadian Domestic Substance List		
Crystalline Silica (Quartz)	14808-60-7	

### **DELTADUST** Insecticide

MSDS Number: 00000000052 MSDS Version 2.4

Environmental CERCLA None Clean Water Section 307 Priority Pollu None Safe Drinking Water Act Maximum Con None	
International Regulations	
EU Classification	
Deltamethrin	52918-63-5 Toxic Dangerous for the environment
R Phrases	Also toxic by inhalation and if swallowed. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
S Phrases	Keep locked up and out of the reach of children. Avoid contact with the skin. After contact with skin, wash immediately with plenty of water. Wear suitable protective clothing, gloves and eye/face protection. In case of insufficient ventilation, wear suitable respiratory equipment. In case of accident or if you feel unwell, seek medical advice immediately (show label where possible). This material and its container must be disposed of as hazardous waste. Avoid release to the environment. Refer to special instructions/safety data sheets.
European Inventory of Existing Comm	
Deltamethrin	52918-63-5
Createlling Cilian (Ouert-)	11000 60 7

Crystalline Silica (Quartz)

14808-60-7

#### **SECTION 16. OTHER INFORMATION**

	Health	Flammability	Reactivity	Others
NFPA	1	0	0	А

Reason for revision:

Update name to match label; change components; remove HMIS ratings.

Print Date: 09/15/2003 Supersedes MSDS, which is older than: 09/15/2003

This information is provided in good faith but without express or implied warranty. Buyer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer AG. Bayer Environmental Science